DAFTAR REFERENSI

Abdel-Wali, M., T. Mustafa, dan M. Al-Lala. 2012. Residual toxicity of abametin, milbemectin dan chlorfenapyr to different populations of two-spotted spider mite, Tetranychus urticae Koch, (Acari: Tetranychidae) on cucumber in Jordan. *World J. Agric.* Sci. 8(2): 174–178.

Alzoubi, S. and S.Cobanoglu. 2008. Toxicity of some pesticides against *Tetranychus urticae* and its predatory mites under laboratory conditions. *American- Eurasian J.Agric. &Environ.Science.* 3(1): 30–37.

Ambardini, S., Indrawati, dan Ratnaeni. 2015. Karakter Trikoma Daun Tanaman Jati (*Tectona grandis* L.) yang Ditanam Pada Tanah Pascatambang Emas Bombana dengan Variasi Dosis Pupuk Kandang Kambing. *Biowallacea.* Vol. 2 (1): 113-125.

Armando, R. 2009. *Memproduksi 15 Minyak Atsiri Berkualitas*. Penebar Swadaya. Jakarta.

Bambang. 2008. Metode Pengukuran Luas Daun Jarak Pagar. Magrobis. Jurnal Ilmu Pertanian. 8 (1): 17-22.

Balitri, S. 2012. Tungau Polypaghotarsunemus Latus (Acarina : Tarsonematidae) Sebagai Hama Potemsial Taaman Teh di Indonesia. *Warta Penelitian dan Pengembangan Tanaman Industri*, 18(3):27-29.

Barrion, A.T and L.A. Corpuz-Raros. 1975. Studies on Citrus Mites (Acarina): Biology of Eotetranychus cendanai Rimando (Tetranychidae) and Population Trends in Brevipalpus obovatus Donnadieu (Tenuipalpidae). *Philipp. Ent*. 3 (1): 30-45.

Brown, S., D.L. Kerns., J. Gore., G. Lorenz., S. Stewart. 2017. Susceptibility of Twospotted Spider Mite (Tetranychus urticae) to Abamectin in Midsouth Cotton. *J. Elsevier Crop Protection.* Vol. 98 (179-183).

Budianto BH. 2001. *Seleksi tungau predator lokal yang potensial sebagai agen pengendali hayati tungau hama Tetranychus sp. pada tanaman singkong (Manihot esculenta Crantz)*. Laporan Penelitian, Fakultas Biologi, Unsoed, Purwokerto.

Budianto, BH dan A. Munadjat. 2012. Kemampuan Reproduksi Tungau PredatorFamili Phytoseiidae pada Berbagai Kepadatan Tetranychus urticae danPolen Tanamandi Sekitar Tanaman Singkong (Manihot esculenta Crantz).*J. HPT Tropika.* 12(2): 129-137, 2012.

Badan Meterologi Klimatologi dan Geofisika (BMKG). 2017. Stasiun Klimatologi. *Buletin Prakiraan Hujan Bulanan*. Jawa Tengah.

Budianto, BH dan E. Basuki, 2013. Kemampuan Predasi Tungau Predator Amblysieus sp. Resistensi Temperatur Terhadap Tetranychus urticae. *J. HPT Tropika*. Vol. 13 No. 1 : (35-41).

Childers, C. C, E. W. Kitajima, W. C. Welbourn, C. Rivera, and R. Ochoa. 2001. *Brevipalpus Mites on Citrus and Their Status as Vector of Citrus Leprosis*. Manejo Integrado de Plagas (Costa Rica), 60 : 66-70.

Corpuz-Raros, L.A. 2001. New Mite Pests and New Host Records of Phytophagous Mite (Acari) from the Philippines. *Philipp. Agric. Sci*. 84 (4) :341-351.

Denmark, H.A. 2000. Broad Mite, *Polyphagotarsonenus latus* (Banks) (Arachnidae: Acarina: Tarsonemidae) University of Florida Published December 2000. http://creatures.ifas.uft.edu.

De Leon, D. 1961. The Genus Brevipalpus in Mexico, Part II (Acarina: Tunuipalpidae). *Fla. Ent.* 44 (1): 21-52.

Dina, W. M. 2017. Persebaran dan Keanekaragaman Spesies Tungau Hama Pada Tanaman Pepaya di Pulau Lombok. *Tesis*. IPB: Institut Pertanian Bogor. Bogor.

Futch S.H., Childers, C.C., McCoy W. 2014. *A Guide to Citrus Mite Identification: Horticultural Science.*University of Florida IFAS Extension. Florida.

Gobel, B.M, Tairas, R.W., and Juliet, M.E.M., (2016). *Serangga-serangga yang berasosiasi pada Tanaman Cabai Merah Keriting (Capsicum annum L.) di Kelurahan Kakaskasen II Kecamatan Tomohon Utara*. Unversitas Samratulangi, Manado.

Huda dan M. Nurul. 2010. Pengambilan Minyak Bunga Melati Dengan Metode Enfleurasi Menggunakan Lemak Sapi, Kambing, Ayam. *Laporan Skripsi* Teknik Kimia: Universitas Negeri Semarang.

Ikegami Y, Yano S, Takabasyi J, Takafuji A. 2000. Function of quiescence of *Tetranychus kanzawai* (Acari: Tetranychidae), as a defence mechanism against rain. *App Entomol Zool* 35(3): 339-343.

Indriati, G. dan F. Soesanthy. 2015. *Serangga Pengisap Pucuk Teh: Empoasca vitis* (Homopetra: Cicadellidae) *dan Tungau* (Acarina). Balai Penelitian Tanaman Industri dan Penyegar. Sirinov, Vol (3) No. 1 : 39-48.

James, D.G. and T.S. Price. 2002. Fecundity in twospotted spider mite (Acari: Tetranychidae) increased by direct and systemic exposure to imidacloprid. *J. Econ. Entomol.* 95(4): 729–732.

Kennedy, J. S; Van Impe, G., Dance, T. H., and Leburn, P. H. 1996. Demecology of the Flase Spider Mite, *Brevipalpus Phoenicis* (Geijkes) (Acari, Tenuipalpidae). *Journal Applied Entomology.* 120 : 493-499.

Klimov PB, Connor BM. Conservation of the name Tyrophagus putrescentiae, a medically and economically important mite species (Acari: Acaridae). *Intl. . Acarol.* 2009; 35 (2): 95-114.

Krantz. G., W. 1978. *A Manual of Acarology.* Edisi ke-2. Corvallis: Oregon Univ Book Stores.

Krebs C. J. 1989. *Ecology The Experimental Analysis of Distribution and Abudance*. Second Edition. Harper and Row Publisher. New York. 45.

Kristian, J, S. Zain, S. Nurjanah, A. Widyasanti, S.H. Putri. 2016. Pengaruh Lama Ekstraksi Terhadap Rendemen Dan Mutu Minyak Bunga Melati Putih Menggunakan Metode Ekstraksi Pelarut Menguap *(Solvent Extraction). Jurnal Teknotan.* Vol.10 No. 2.

Lee, I.H. and J.D. Park. 2005. Repellent and pesticidal effect of *Ginkgo biloba* leaves extracts on the *Tetranichus urticae, Aphis gossypii* and *Myzus persicae. Journal Korean Society for Applied Chemistry.* 48(2): 150–154.

Leudeling. E., Steiman, K.P., M.A, P.H. 2011. Climate Change Effect On Walnut Pests In California. *Global Change Biology*, (17) : 228-238.

Logan JD, W Wolesensky & A Joern. 2006. *Possible Impacts and Dynamics at Population, Species Interaction, and Community Levels.* Climate Change and Global Food Security, CRC Press.

Magurran, A.E. 2004. *Measuring Biological Diversity*. USA : Blackwell Publishing Company.

Manson, D.C.M. 1963. Mites of the Families Tetranychidae and Tenuipalpidae Associated with Citrus in South East Asia. *J.Acarologia*. 5 (3): 351-364.

Moch, Sodiq., dan Sudarmadji. 2000. *Tungau (Akarina) dan Pengendaliannya*. Jakarta : Plantaxia.

Mulyani, T. 2013. Intensitas Serangan Brevipalpus phoenicis Pada Beberapa Klon Tanaman Teh di PTPN IX Kaligua Kabupaten Brebes. *Skripsi.* Universitas Jenderal Soedirman.

Nanie. 2009. *In Tanaman berbunga*. Tagged: Budidaya bunga melati, budidaya melati, melati putih pedoman budidaya melati, syarat pertumbuhan melati. Puralingga.

Nickel, J. L. 1960. Temperature and Humidity Relationship of Tetranychus desertorum banks with Special Reference to Distrubution. *Hilgardia*, 30 : 41-100.

Oka IN. 1995. *Pengendalian Hama Terpadu dan Implementasinya di Indonesia*. Yogyakarta: Gadjah Mada University.

Oomen, P.A. (1982) *Studies on population dynamics of the scarlet mite, Brevipalpus phoenicis, a pest of tea in Indonesia*. Mededelingen Landbouwhogeschool, Wageningen, Netherlands 82-1, 88 pp.

Oomen, P.A. (1982) *Studies on population dynamics of the scarlet mite, Brevipalpus phoenicis, a pest of tea in Indonesia*. Department of Entomology Agricultury University, Wageningen. 1-79.

Razmjou, J., H. Tavakkoli, and M. Nemati. 2009. *Life history traits of Tetranychus urticae Koch on three legumes (Acari: Tetranychidae).* Munis Entomology & Zoology. 4(1):204–211.

Rizal, S., Widiastuti, dan Agus, A. 2016. Prevalensi dan Faktor Risiko Tungau Debu Rumah di Pamulang (Tangerang) dan Pasar Rebo (Jakarta). *Jurnal Profesi Medika* ISSN 0216-3438. 10(1) : 4-14.

Rodrigues, J. V., C.C. Childers, and J. V. French. 2003. Brevipalpus californicus, B. obovatus, B. phoenicis, and B. lewisi (Acari: Tenuipalpidae): a review of their biology, feeding injury and economic importance. *Experimental and Applied Acarology*. Kluwer Academic Publishers. Vol (30), pp 2-28.

Roy, S., Muraleedharan, N., & Mukhopadhyay, A. 2014. The red spider mite, *Oligonychus coffeae* (Acari: Tetranychidae): its status, biology, ecology and management in tea plantations. *Exp Appl Acarol*, 63:431– 463. DOI 10.1007/s10493-014-9800-4.

Salman, M.S. 2007. Comparative toxicological studies of certain acaricides on two-spotted spider mite Tetranychus urticae Koch and its predator Stethorus gilvifrons Mulsant. Ph.D. *Thesis*, Plant Protection Depart. Fac. of Agriculture, Suez Canal University.

Sánchez-Ramos I, Alvarez-Alfageme F, Castañera P. Effects of relative humidity on development, fecundity and survival of three storage mites. Exp. Appl. *Acarol.*, 2007; (41): 87-100.

Santoso, S., Aunu, R., Nelly, M.G., Elma, K., dan Widi, R., 2014. Biologi dan Kelimpahan Tungau Merah *Tetranychus* sp. (Acari : Tetranychidae) pada dua kultivar Jarak pagar *(Jatropha curcas)*. *Jurnal Entomologi Indonesia*. Vol. 11 (1) : 34-42.

Seeman OD, Beard JJ. 2011. Identification of exotic pest and Australian native and naturalised species of *Tetranychus* (Acari: Tetranychidae). *Zootaxa* 2961:1–72.

Setyawati, A.S. 2015. *Budidaya Tanaman Melati (Jasminum spp.).* Balai Penelitian Tanaman Hias. IPTEK Hortikultura Cianjur-Jawa Barat.

Soegianto, 1994. *Ekologi Kuantitatif Metode Analisis Populasi dan Komunitas*. Surabaya: Usaha Nasional.

Sun Jing-Tao, C. Lian, M. Navajas, and Xiao-Yue Hong. 2012. *Microsatellites reveal a strong subdivision of genetic structure in Chinese populations of the mite Tetranychus urticae Koch (Acari: Tetranychidae)*. MC Genetics.

Susilo, D.E.H. 2015. Identifikasi Nilai Konstanta Bentuk Daun untuk Pengukuran Luas Daun Metode Panjang Kali Lebar pada Tanaman Hortikultura di Tanah Gambut. *Jurnal Artikel.* Indonesia.

Taluta, HE., Henny, LR., dan Marhaenus, JR. 2017. Pengukuran Panjang dan Lebar Pori Stomata Daun Beberapa Varietas Tanaman Kacang Tanah (*Arachis hypogaea* L.). *Jurnal MIPA UNSRAT.* Vol. 6 (2): 1-5.

Tsoukanas VI, Papadopoulos GD, Fantinou AA & Papadoulis GTh. 2006. Temperature-dependent development and life table of Iphiseius degenerans (Acari: Phytoseiidae). Environ. *J. Entomol* 35(2):212-218.

Untearianto, B. 1986. Pengamatan Intensitas Serangan Cacar Daun Teh Pada Enam Belas Klon The Di BPTK Gambung, Bandung. *Skripsi.* Jurusan Hama dan Penyakit Tumbuhan. Fakultas Pertanian. IPB.

Untung K. (2006). *Pengantar Pengelolaan Hama Terpadu*. Yogyakarta: Gadjah Mada University Press.

Utari, P., L. Advinda, dan Novi. 2014. Respon Tanaman Melati Putih *(Jasminum sambac* L. W. Ait.) terhadap Beberapa Konsentrasi Paclobutrazol. *Laporan Skripsi*. Jurusan Biologi Universitas Negeri Padang.

Vacante V. 2010. *Citrus Mite: Identification, Bionomy and Control.* Wallingford: CABI Publishing.

Vasquez C, Mondragon A, Davila M, Aponte O. 2009. *Phytophagous mites (Tetranychoidea: Tetranychidae, Tenuipalpidae) from natural vegetations in Lara, Venezuela*. Biota Neotropica (9): 4. doi: 10.1590/S1676-06032009004000005.

Vrie, M. Van de, J. A. McMurty, and C. B. Huffaker. 1972. Biology, ecology, pest status and host plant relationship of Tetranichidae. *Hilgarida*, 41 : 343 – 429.

Walter, D.E.,and Proctor, H.C. 1999. *Mites Ecology, Evolution, and Behavior*.CABI: Wallingford.

Wahyuni, S. I dan Nasir, S. 2010. Hama Tungau Merah Tetranychus urticae Pada Tanaman Ubikayu dan Upaya Pengendaliannya. *Buletin Palawija*. Vol. 20: 72 – 79.

Wekesa,. V.W, S. Vital, R.A. Silva, E.M.M. Ortega, I. Klingen, and I. Delalibera Jr. 2011. The effect of host plants on Tetranychus evansi, Tetranychus urticae (Acari: Tetranychidae) and on their fungal pathogen Neozygites floridana (Entomophthorales: Neozygitaceae). *Journal of Invertebrate Pathology*. Science Direct. Vol (107) 139–145.

Welbourn, W.C., Ochoa, R., Kane, E.C. & Erbe, E.F. 2003. *Morphological observations on Brevipalpus phoenicis (Acari: Tenuipalpidae) including comparisons with B. californicus and B. obovatus.* Experimental & Applied Acarology, 30 (1/3), 107–133.

Wieke, M. D., Sugeng, S. 2017. Identifikasi Tungau Hama pada Tanaman Pepaya di Pulau Lombok. *Jurnal Entomologi Indonesia*. Vol 14 (1) : 37-43.

Xuejiao, L., Dousheng, W., Yongqiang, Z., Hong, Z., Ting, L., and Wei, D. 2016. RNA- Seq Analysis Reveals Candidate Targets for Curcumin against *Tetranychus cinnabarinus*. 1(4) : 1-11.

Yanto, R., Arief, P., dan Henky, I. 2016. Keanekaragaman Gastropoda Pada Ekosistem Mangrove Pantai Pasiran Kabupaten Bintan. *J. Researchgate*. Hal: 1-11.